

## Fast payments that don't slow your customers down

Retail, hospitality, deliveries... your customers don't want to wait, so your business needs a POS terminal that's as on-the-go as they are. Ingenico Move 5000 has all the payment flexibility your customers demand and all the connectivity your staff need to take payments anywhere, seamlessly.

- **Pocket-sized. Portable. Perfect!** Extended battery life so you can take payments indoors and outdoors
- Manage everything on-the-move Sales, refunds, reversals, gratuities, phone payments
- Pay any way Let your customers choose to pay by credit or debit card, contactless or chip & PIN, Apple Pay, Samsung Pay or Google Pay
- Easy customer experience Large colour touchscreen and ultraresponsive keypad
- Constantly connected Switch between WiFi and 4G
- Get paid faster receive takings quickly with next day settlement
- Pay in their currency Let customers pay in their local currency with our Dynamic Currency Conversion

## Get people-support with your payments

When you choose Card Saver for your Ingenico Move 5000, your entire business gets added support from experts who understand how you think

- Dedicated support We'll happily answer any questions
- Set-up in seconds Card Saver set up your Ingenico Move 5000 so you can start taking payments straightaway
- See every transaction The secure Enterprise Merchant
  Portal lets you see all your online, mobile and POS transactions
  in real time
- Even faster payments Use TRU Link to integrate your Ingenico Move 5000 POS device with your Epos Now for faster payments and no duplication errors\*



## **Move 5000 data sheet**

NAME			Move/5000
Processor	Application & Crypto processor	Cortex A5	•
Memory	Internal External	512 MB Flash, 512 MB RAM MicroSD up to 32GB	•
os	• • • • • • • • • • • • • • • • • • • •	Telium Tetra OS	•
SIM		SIM 1 SIM 2	Option Option
SAM		2 SAM 3rd SAM	• Option
Card readers	Magstripe Smart card Contactless	ISO 1/2/3, 500K lifespan EMV Level 1, 500K lifespan EMV Level 1 compliant	• • Option
Display	Color	3.5" backlit, HVGA (480x320 pixels)	•
Touchscreen	Resistive	Finger & stylus (300K lifespan signature)	•
Keypad	•	16 keys, raised Marking, backlit	•
Audio	Buzzer Audio Jack Speaker	Stereo Mono	• Option Option
Video	Video accelerator	H264 codec	•
Data capture	Positionning Barcode reader Camera	GPS tracking 1D/2D 5M pixels autofocus	Option Option Option
Thermal Printer	Speed in lines/s Paper roll cage	up to 30 lines/s 58 mm width x Ø 40 mm 58 mm width x Ø 25 mm	• • Option
Terminal connectivity	WAN LAN Multicom	3G and GPRS WiFi and/or Bluetooth WAN + LAN	Option Option Option
Terminal connections	USB Power Supply	Host & Slave Dedicated power Jack	•
Battery	Li-ion	2900mAh	•
Terminal size	Ø 40 mm Ø 25 mm	169 x 78 x 57 mm (6.6x3.1x2.2") 160 x 78 x 47 mm (6.3x3.1x1.9")	•
Weight	Terminal + Battery	320 g (11 oz)	•
Environment	Operating Temperature Storage Temperature Operating Humidity	-10°C to +50°C (14°F to 122°F) -20°C to +55°C (-4°F to 131°F) 85% non-condensing at +40°C (104°F)	•
Accessory	Privacy shield Car Charger Docking-station	Factory Mounted  Charger 2 RS232 USB Host USB Slave Modem Ethernet 10/100 Base T Bluetooth	Option Option  Option Option Option Option Option Option Option Option Option
Security		PCI PTS 4.x Online & Offline certified	•

